



PVC HOSE



July 2008

All dimensions are nominal. Products may vary slightly to those pictured

PRICING FOR THIS SECTION FOUND IN THE INDUSTRIAL PRODUCTS PRICE LIST

Customer Service - Phone: 1300 349 320 Fax: 1300 349 321

www.fhshose.com.au

MELBOURNE - SYDNEY - NEWCASTLE





PVC HOSE

INDEX

Description	Page
Safety Yellow	3
Blue Stripe Washdown	3
Hot and Cold Washdown	4
Fire Reel Hose	4
Reclaimed Water Hose	5
Garden Hose	5
ChemAir Airline	5
FRAS Air Hose	6
Petrol & LPG Hose	7
Pesticide / Weedicide Hose	8
Food & Multi-Purpose Hose	9
Drinking Water / Air Breathing Hose	10
Clear Vinyl Tubing	11
Merchandiser Products	12
Grey Water Suction	13
Food Contact Suction Hose	14
Oil Suction Hose	16
Slurry / Material Handling Hose	17
Flexi-Flo Airseeder Hose	18
LPG Vent Hose	18
Airseeder Hose	19
Grey Water Discharge	20
Pool & Spa Hose	21

All dimensions are nominal. Products may vary slightly to those pictured

PRICING FOR THIS SECTION FOUND IN THE INDUSTRIAL PRODUCTS PRICE LIST

Customer Service - Phone: 1300 349 320 Fax: 1300 349 321

www.fhshose.com.au

MELBOURNE - SYDNEY - NEWCASTLE





PVC PRESSURE HOSE—Air / Water

SAFETY YELLOW AIR / WATER

High quality Air/Water hose with strong durability and excellent flexibility.
It's highly visible cover makes it an ideal choice for industrial applications, hard wearing applications.
Meets AS/NZS 2554 Class B requirements.



I.D (MM)	O.D (MM)	WORKING PRESSURE		COIL LENGTHS (METRES)	PART NO
6	12	1.7 MPa	250 psi	20 100 300#	P-HSY-006-***
8	14	1.7 MPa	250 psi	20 100 300#	P-HSY-008-***
10	17	2.0 MPa	290 psi	20 100 200#	P-HSY-010-***
12.5	19	1.7 MPa	250 psi	20 100 200#	P-HSY-012-***
20	28	1.6 MPa	230 psi	20 50 100	P-HSY-020-***
25	33	1.6 MPa	230 psi	20 50 100	P-HSY-025-***
32	42	1.6 MPa	230 psi	20 40	P-HSY-032-***
38	50	1.6 MPa	230 psi	20 40	P-HSY-038-***
50	63	2.0 MPa	290 psi	20 40	P-HSY-050-***

PACIFIC YELLOW

Yellow PVC with Black inside.
Suitable for transfer of Air & Water in Industrial / Agricultural applications



I.D. (MM)	O.D. (MM)	WORKING PRESSURE		COIL LENGTHS (METRES)	PART NO.
19	27	1.6Mpa	230psi	20 100	P-PPY-020-***
25	33	1.6Mpa	230psi	20 100	P-PPY-025-***

BLUE STRIPE WASHDOWN (White with Blue Stripe)

Our Premium washdown hose is designed specifically for cold wash-down applications. It's distinctive all white, all virgin PVC construction ensures unmatched performance, flexibility and service life. The cover is smooth for ease of handling and the hose has two blue stripes for identification purposes. Suitable for Dairies, Paper Mills, Golf Courses & Nurseries.



I.D (MM)	O.D (MM)	WORKING PRESSURE		COIL LENGTHS (METRES)	PART NO.
19	28	1.0 MPa	145 psi	20 50 100	P-BSW-020-***
25	33	1.0 MPa	145 psi	20 50 100	P-BSW-025-***
32	42	1.0 MPa	145 psi	20 40 100	P-BSW-032-***
38	50	1.0 MPa	145 psi	20 40 100	P-BSW-038-***

All dimensions are nominal. Products may vary slightly to those pictured

PRICING FOR THIS SECTION FOUND IN THE INDUSTRIAL PRODUCTS PRICE LIST



Customer Service - Phone: 1300 349 320 Fax: 1300 349 321

www.fhshose.com.au

MELBOURNE - SYDNEY - NEWCASTLE



HOT WASHDOWN—White

Heavy duty white hot wash hose ideal for dishwashers and washing machines. Designed for the conveyance of hot water up to 90°C whilst under pressure. Smooth non-marking white cover.

I.D. (MM)	O.D. (MM)	WORKING PRESSURE		COIL LENGTHS (METRES)	PART NO.
		MPa	psi		
12.5	19	1.6 MPa	230 psi	20 100	P-HHW-012-***
20	29	1.4 MPa	200 psi	20 100	P-HHW-020-***



DAIRY BLUE WASHDOWN

This hose is manufactured with a white tube and blue ribbed cover. Designed for use in Dairy wash down sheds and general industrial wash down applications. 25mm is also commonly used for general water transfer with small irrigators. Highly Flexible in the cold weather.

I.D. (MM)	O.D. (MM)	WORKING PRESSURE		COIL LENGTHS (METRE)	PART NO.
		MPa	psi		
25	33	1.0 MPa	145 psi	20 60 100	P-TCW-025B-***
32	42	1.0 MPa	145 psi	20 60 100	P-TCW-032B-***

TCW TURFCOLD WASHDOWN HOSE & IRRIGATION



This hose is manufactured with a white tube and white ribbed cover. For water transfer applications such as golf courses and small irrigators. The Irrigation Hose has excellent flexibility and kink resistance and a special blend of stabilisers provides optimum UV protection.

I.D. (MM)	O.D. (MM)	WORKING PRESSURE		COIL LENGTHS (METRE)	PART NO.
		MPa	psi		
12.5	18	1.0 MPa	145 psi	20 100	P-TCW-012-***
19	26	1.0 MPa	145 psi	20 100	P-TCW-020-***
25	33	1.0 MPa	145 psi	20 100	P-TCW-025-***
32	42	1.0 MPa	145 psi	20 100	P-TCW-032-***

FIRE REEL HOSE



Black ribbed fire reel hose that meets AS/NZS 1221 standard. Suitable for use on Fire Reels, fire pumps and general water transfer.

I.D. (MM)	O.D. (MM)	WORKING PRESSURE		COIL LENGTHS (METRES)	PART NO.
		MPa	psi		
19	26	1.0 MPa	145 psi	20 36 100	P-HRB-020-***
25	33	1.0 MPa	145 psi	20 100	P-HRB-025-***

All dimensions are nominal. Products may vary slightly to those pictured

PRICING FOR THIS SECTION FOUND IN THE INDUSTRIAL PRODUCTS PRICE LIST



Customer Service - Phone: 1300 349 320 Fax: 1300 349 321

www.fhshose.com.au

MELBOURNE - SYDNEY - NEWCASTLE



LILAC RECLAIMED / GREY WATER HOSE

Distinctive Lilac covered hose manufactured & branded to meet the requirements for reclaimed / grey water use.



I.D. (MM)	O.D. (MM)	WORKING PRESSURE		COIL LENGTHS (METRES)	PART NO.
		MPa	psi		
12.5	17	1.0 MPa	145 psi	20 100	P-HRW-012-***
19	25	1.0 MPa	145 psi	20 100	P-HRW-020-***
25	31	0.9 MPa	130 psi	20 100	P-HRW-025-***

TURF MASTER WATER DELIVERY

Lime Green Translucent

Premium quality hose for general purpose water applications. Manufactured with all virgin PVC materials this product provides excellent flexibility even at low temperatures. Turfmaster has a lifetime manufacturing guarantee.



I.D. (MM)	O.D. (MM)	WORKING PRESSURE		COIL LENGTHS (METRES)	PART NO.
		MPa	psi		
12.5	17	1.0 MPa	145 psi	20 35 100 200#	P-HSL-012-***
19	25	1.0 MPa	145 psi	20 35 100#	P-HSL-020-***
25	31	0.9 MPa	130 psi	20 35 100	P-HSL-025-***

MONARCH GARDEN HOSE

Dark Green

Manufactured to Australian Domestic Garden Hose Standard AS 2620 part 1 - 1983 Class 1200. PREMIUM GRADE Monarch Garden Hose has A FIVE YEAR WARRANTY against manufacturing faults.



I.D. (MM)	O.D. (MM)	WORKING PRESSURE		COIL LENGTHS (METRES)	PART NO.
		MPa	psi		
12.5	17	1.0 MPa	145 psi	20 35 100 200#	P-GHH-012-***
19	25	1.0 MPa	145 psi	20 35 100	P-GHH-020-***

CHEMAIR PREMIUM DUAL PURPOSE AIRLINE / CHEMICAL

Blue covered, newly designed hose with a specially formulated chemical resistant tube. Highly recommended for applications requiring a light weight spray hose. The flexibility and pressure rating on this product also makes it ideal as an air compressor hose. The dual purpose can help minimise stock holding requirements.



I.D. (MM)	O.D. (MM)	WORKING PRESSURE		COIL LENGTHS (METRES)	PART NO.
		MPa	psi		
6	12	1.7 MPa	250 psi	20 100 300#	P-CAC-006-***
8	14	1.7 MPa	250 psi	20 100 300#	P-CAC-008-***
10	17	2.0 MPa	290 psi	20 30 100 200#	P-CAC-010-***
12.5	19	1.7 MPa	250 psi	20 100 200#	P-CAC-012-***
20	27.5	1.7 MPa	250 psi	20 100	P-CAC-020***

All dimensions are nominal. Products may vary slightly to those pictured

PRICING FOR THIS SECTION FOUND IN THE INDUSTRIAL PRODUCTS PRICE LIST



Customer Service - Phone: 1300 349 320 Fax: 1300 349 321

www.fhshose.com.au

MELBOURNE - SYDNEY - NEWCASTLE



BLUE AIRLINE



Blue Cover, Black inner tube. Flexible and resistant to kinking this hose is primarily used in workshops for compressed air.

I.D. (MM)	O.D. (MM)	WORKING PRESSURE		COIL LENGTHS (METRES)	PART NO.
6	12	1.6MPa	230psi	20 100 300#	P-PPB-006-***
8	14	1.6Mpa	230psi	20 100 300#	P-PPB-008-***
10	16	1.6Mpa	230psi	20 30 100 200#	P-PPB-010-***
12	18	1.6Mpa	230psi	20 100 200#	P-PPB-012-***

FRAS AIR HOSE Coal Mining / Heavy Duty



FRAS rated PVC Hose, made from a lightweight, highly abrasive resistant polymer developed for use in underground coal mining. Conforms to AS 2660 and AS2554 class A.

I.D. (MM)	O.D. (MM)	WORKING PRESSURE		COIL LENGTHS (METRES)	PART NO.
10	17	2.1 MPa	305 psi	20 100	P-FSA-010-***
12.5	22	2.1 MPa	305 psi	20 100	P-FSA-012-***
20	30	2.1 MPa	305 psi	20 100	P-FSA-020***
25	34	2.1 Mpa	305 psi	20 33 100	P-FSA-025-***
25	34	3.45 Mpa	500 psi	20 33 100	P-FSX-025-***
32	44	2.1 Mpa	305 psi	20 100	P-FSA-032-***
38	50	2.1 MPa	305 psi	20 40	P-FSA-038***
50	63	2.1 MPa	305 psi	20 40	P-FSA-050***

All dimensions are nominal. Products may vary slightly to those pictured

PRICING FOR THIS SECTION FOUND IN THE INDUSTRIAL PRODUCTS PRICE LIST



Customer Service - Phone: 1300 349 320 Fax: 1300 349 321

www.fhshose.com.au

MELBOURNE - SYDNEY - NEWCASTLE



PVC PRESSURE HOSE—Petroleum & Spraying



PR PETROL RESISTANT

Petrol resistant hose that has a black cover with a red tube. All sizes come with two copper anti-static wires as standard. Suitable for use on Mini Tanker Hose Reels, Farm Bulk Holding tanks etc.

I.D. (MM)	O.D. (MM)	WORKING PRESSURE		COIL LENGTHS (METRES)	PART NO.
25	33	1.4 MPa	200 psi	20 100	P-HPR-025-***
32	42	1.4 MPa	200 psi	20 60 100	P-HPR-032-***
38	50	1.1 MPa	160 psi	20 40 60	P-HPR-038-***

DRUM PUMP 11



Drum Pump hose a much higher resistance to most common petroleum products.

Most suited to low pressure or gravity fed delivery of diesel and kerosene from farm storage. (other sizes available on request)

I.D. (MM)	O.D. (MM)	WORKING PRESSURE		COIL LENGTHS (METRES)	PART NO.
25	31	0.9 MPa	130 psi	20 100	P-DPH-025-***

CHILLMASTER ANTI-STATIC DRUM PUMP HOSE



Black Fuel resistant hose with excellent cold weather flexibility. Specially formulated compounds give this hose a high resistance to common petroleum products. Has two antistatic wires for earthing. Premium hose for the most demanding applications. (other sizes available on request)

I.D. (MM)	O.D. (MM)	WORKING PRESSURE		COIL LENGTHS (METRES)	PART NO.
25	33	1.0 MPa	145 psi	20 100	P-CHM-025-***

LP GAS HOSE



LP Gas hose for domestic appliances. Suitable for conveying L.P. Gas. Conforms to AS/NZS1869 Class A & C

I.D. (MM)	O.D. (MM)	WORKING PRESSURE		COIL LENGTHS (METRES)	PART NO.
5	12.5	2.7 MPa	385 psi	100	P-LPG-005-***
6	13	2.7 MPa	385 psi	100	P-LPG-006-***
8	15	2.7 MPa	385 psi	100	P-LPG-008-***

All dimensions are nominal. Products may vary slightly to those pictured

PRICING FOR THIS SECTION FOUND IN THE INDUSTRIAL PRODUCTS PRICE LIST



Customer Service - Phone: 1300 349 320 Fax: 1300 349 321

www.fhshose.com.au

MELBOURNE - SYDNEY - NEWCASTLE



BLACK - PESTICIDE / WEEDICIDE



The Pesticide/Weedicide Hose is a long established market leader in the spraying industry. The HPW is a black covered, heavy duty, high pressure spray hose suitable for most spraying applications in Australia and New Zealand.

I.D. (MM)	O.D. (MM)	WORKING PRESSURE		COIL LENGTHS (METRES)	PART NO.
8	14	3.4 MPa	495 psi	20 100 200#	P-HPW-008-***
10	17	3.4 MPa	495 psi	20 100 200#	P-HPW-010-***
12.5	19	3.4 MPa	495 psi	20 100 200#	P-HPW-012-***
19	28	3.4 MPa	495 psi	20 100	P-HPW-020-***

RED - SPRAYCHEM



Lightweight, red, U.V resistant agricultural chemical spray hose which is suitable for pest control.

I.D. (MM)	O.D. (MM)	WORKING PRESSURE		COIL LENGTHS (METRES)	PART NO.
10	17	2.05 MPa	300 psi	20 100	P-SPW-010-***
12.5	19	2.05 MPa	300 psi	20 100	P-SPW-012-***
20	27.5	1.7 Mpa	250 psi	20 100	P-SPW-020-***

ANFO Explosive Loading Hose



ANFO LOADING HOSE

Designed for loading ANFO for explosive / blasting applications. Conforms to AS2817.2 1993.

I.D. (MM)	O.D. (MM)	COIL LENGTHS (METRES)	PART NO
20 mm	27 mm	30	T-ANF-020-030
25 mm	30 mm	60	T-ANF-025-060

All dimensions are nominal. Products may vary slightly to those pictured

PRICING FOR THIS SECTION FOUND IN THE INDUSTRIAL PRODUCTS PRICE LIST



Customer Service - Phone: 1300 349 320 Fax: 1300 349 321

www.fhshose.com.au

MELBOURNE - SYDNEY - NEWCASTLE



PVC PRESSURE HOSE—Food & Multipurpose

PETROL RESISTANT / FOOD CONTACT

The original translucent dual purpose food contact / petrol hose. Meets AS/NZS 2070, and its distinctive red/gold tracer identifies its dual application. NTP is the market leader for quality and proven reliability.

4:1 Safety Factor



I.D. (MM)	O.D. (MM)	WORKING PRESSURE		COIL LENGTHS (METRES)	PART NO.
6	12	1.7 MPa	250 psi	20 100 300#	P-NTP-006-***
8	14	1.7 MPa	250 psi	20 100 300#	P-NTP-008-***
10	16	1.7 MPa	250 psi	20 100 200#	P-NTP-010-***
12.5	19	1.7 MPa	250 psi	20 100 200#	P-NTP-012-***
16	22	1.7 MPa	250 psi	20 100	P-NTP-016-***
20	27.5	1.7 MPa	250 psi	20 100	P-NTP-020-***
25	33	1.7 MPa	250 psi	20 100	P-NTP-025-***
32	42	1.0 MPa	145 psi	20 40	P-NTP-032-***
38	49	1.0 MPa	145 psi	20 40	P-NTP-038-***
51	63	1.0 MPa	145psi	20 40	P-NTP-050-***

PACIFIC DUAL PURPOSE FOOD / PETROL

Clear Braided food contact / petrol resistant PVC hose. Conforms to AS/NZ 2070 for food transfer.

3:1 Safety Factor



I.D. (MM)	O.D. (MM)	WORKING PRESSURE		COIL LENGTHS (METRES)	PART NO.
10	16	1.6Mpa	230psi	20 100 200#	P-PDP-010-***
12	18	1.6Mpa	230psi	20 100 200#	P-PDP-012-***
20	27	1.6Mpa	230psi	20 100	P-PDP-020-***
25	34	1.6Mpa	230psi	20 100	P-PDP-025-***

All dimensions are nominal. Products may vary slightly to those pictured

PRICING FOR THIS SECTION FOUND IN THE INDUSTRIAL PRODUCTS PRICE LIST



Customer Service - Phone: 1300 349 320 Fax: 1300 349 321

www.fhshose.com.au

MELBOURNE - SYDNEY - NEWCASTLE



DRINKING WATER HOSE



Specially formulated hose designed to prevent "flavouring" the taste of your water. The hose is made with a blue EVA tube and clear cover. Meets AS/NZS 2070 standard. Suitable for Marine / Caravan use. Can be used with Garden hose 'click together type' fittings

I.D. (MM)	O.D. (MM)	WORKING PRESSURE		COIL LENGTHS (METRES)	PART NO.
12	18	1.0 MPa	145 psi	20 100 200#	P-HDW-012-***

AIR BREATHING / DIVERS / HOOKER HOSE



Yellow hose with food grade, non toxic PVC tube. Has excellent kink resistance and can be used for all air breathing applications. Meets AS/NZS 1716 and AS 2299 - 1979.

I.D. (MM)	O.D. (MM)	WORKING PRESSURE		COIL LENGTHS (METRES)	PART NO.
8	14.4	2.5 MPa	365 psi	100 300#	P-ABD-008-***
10	16.8	2.5 MPa	365 psi	100 300#	P-ABD-010-***

Tubing Products

LDPE AIRSEEDER TUBING

Clear tubing designed for the transfer of seed products. UV Stabilised. Mirror Smooth for minimum flow loss.

ID (MM)	OD (MM)	COIL LENGTHS (METRES)	PART NO
25	33.0	20 40 100	T-LDP-025-***
32	37.0	20 40 100	T-LDP-032-***

GREY WATER DISCHARGE TUBING

Smooth Bore PVC tube for low pressure / gravity discharge from Caravans / boats / holding tanks etc.

I.D. (MM)	O.D. (MM)	COIL LENGTHS (METRES)	PART NO
25mm (BLACK)	30 mm	50	T-BVT-025-050
25mm (WHITE)	30 mm	30	T-WVT-025-030

All dimensions are nominal. Products may vary slightly to those pictured

PRICING FOR THIS SECTION FOUND IN THE INDUSTRIAL PRODUCTS PRICE LIST



Customer Service - Phone: 1300 349 320 Fax: 1300 349 321

www.fhshose.com.au

MELBOURNE - SYDNEY - NEWCASTLE



CLEAR VINYL TUBING

(Also see page 9—Merchandise reels)



Suitable for food and beverage lines operating at low pressures, general purpose low pressure delivery lines, light syphon lines, cable protection, drainage lines etc. Conforms to AS/NZS 2070 standard.

I.D. (MM)	WALL THICKNESS (MM)	COIL LENGTHS (METRES)	PART NO
3	1.0	30	T-CVT-003-030
4	1.0	30	T-CVT-004-030
5	1.5	30	T-CVT-005-030
6	1.5	30	T-CVT-006-030
8	1.5	30	T-CVT-008-030
10	1.5	30	T-CVT-010-030
12.5	1.5	30	T-CVT-012-030
16	1.5	30	T-CVT-016-030
20	2.0	30	T-CVT-020-030
25	2.5	30	T-CVT-025-030
32	3.0	30	T-CVT-032-030
38	3.5	15 30	T-CVT-038-***
50	4.0	15 30	T-CVT-050-***

EVA—BEVERAGE TUBE

Non Toxic Beverage tube suitable for beer dispensing and drinking water conveyance.



ID (MM)	WALL THICKNESS (MM)	COIL LENGTHS (METRES)	PART NO
4	1.5	100	T-BVT-004-100
5	1.5	100	T-BVT-005-100
6	2.0	100	T-BVT-006-100
8	2.0	100	T-BVT-008-100
10	2.5	100	T-BVT-010-100
12.7	2.5	100	T-BVT-012-100

All dimensions are nominal. Products may vary slightly to those pictured

PRICING FOR THIS SECTION FOUND IN THE INDUSTRIAL PRODUCTS PRICE LIST

Customer Service - Phone: 1300 349 320 Fax: 1300 349 321

www.fhshose.com.au

MELBOURNE - SYDNEY - NEWCASTLE



PRICING IN INDUSTRIAL PRODUCTS PRICE LIST

**FLUID HANDLING
SOLUTIONS**
MERCHANDISER STAND

PART NO	DESCRIPTION	LIST PRICE PER METRE
P-PVM-001	Fully Stocked Merchandisers (14 Reels)	\$4998.11


PVC HOSE MERCHANDISER REELS

I.D. (MM)	O.D. (MM)	WORKING PRESSURE		COIL LENGTHS (METRES)	PART NO	LIST PRICE PER MTR
BLUE AIRLINE						
6	12	1.6MPa	230psi	60	P-PPB-006-060R	\$2.48
8	14	1.6MPa	230psi	50	P-PPB-008-050R	\$2.71
10	16	1.6MPa	230psi	70	P-PPB-010-070R	\$2.59
12	18	1.6MPa	230psi	50	P-PPB-012-050R	\$4.23
HOT WASHDOWN						
12	19	1.6 MPa	230 psi	50	P-HHW-012-050R	\$11.60
SAFETY YELLOW AIR WATER						
12	18	1.7 MPa	250 psi	50	P-HSY-012-050R	\$5.57
19	27	1.6 MPa	250 psi	40	P-PPY-020-040R	\$14.08
DUAL PURPOSE FOOD / PETROL						
6	12	1.7 MPa	250 psi	60	P-NTP-006-060R	\$4.11
8	14	1.7 MPa	250 psi	50	P-NTP-008-050R	\$4.36
10	16	1.6 MPa	230 psi	70	P-PDP-010-070R	\$4.57
12	18	1.6 MPa	230 psi	50	P-PDP-012-050R	\$5.25
20	27	1.6 MPa	230 psi	60	P-PDP-020-060R	\$10.71
25	34	1.6 MPa	230 psi	40	P-PDP-025-040R	\$14.44
CLEAR VINYL TUBING						
3	5	N/A	N/A	150	T-CVT-003-150R	\$1.37
4	6	N/A	N/A	150	T-CVT-004-150R	\$2.13
5	8	N/A	N/A	100	T-CVT-005-100R	\$1.66
6	9	N/A	N/A	100	T-CVT-006-100R	\$1.76
8	11	N/A	N/A	90	T-CVT-008-090R	\$2.11
10	13	N/A	N/A	100	T-CVT-010-100R	\$2.44
12.5	15.5	N/A	N/A	80	T-CVT-012-080R	\$3.72
16	20	N/A	N/A	60	T-CVT-016-060R	\$4.52
20	24	N/A	N/A	50	T-CVT-020-050R	\$5.70
25	31	N/A	N/A	30	T-CVT-025-030R	\$10.57
TURF MASTER WATER DELIVERY						
12	17	1.0 MPa	145 psi	70	P-HSL-012-070R	\$4.63

All dimensions are nominal. Products may vary slightly to those pictured

PRICING FOR THIS SECTION FOUND IN THE INDUSTRIAL PRODUCTS PRICE LIST



Customer Service - Phone: 1300 349 320 Fax: 1300 349 321

www.fhshose.com.au

MELBOURNE - SYDNEY - NEWCASTLE



PVC SUCTION HOSE

PUMPFLEX—GREY SUCTION

For conveying water and other liquids and light granular materials in agriculture and industrial applications. Super flexible product ensuring optimum performance.



I.D. (MM)	O.D. (MM)	VACUUM (mm/Hg)	PRESSURE (PSI)	COIL LENGTHS (METRES)	PART NO.
25	32	-600	130	20 50	Q-PFX-025-***
32	39	-600	120	20 50	Q-PFX-032-***
38	47	-600	105	20 50	Q-PFX-038-***
45	53	-600	95	20	Q-PFX-045-***
50	60	-600	95	20 30 50	Q-PFX-050-***
63	73	-600	95	20 30	Q-PFX-063-***
76	87	-600	85	20 30	Q-PFX-075-***
102	114	-600	80	20	Q-PFX-100-***
127	141	-600	60	20	Q-PFX-125-***
140	152	-600	45	20	Q-PFX-140-***
152	170	-600	45	20	Q-PFX-150-***

H/DUTY PUMPFLEX—GREY SUCTION

Similar properties to Standard Pumpflex with a slightly stiffer helix to protect the hose from collapsing in the harsh outback summers / warmer environments.



I.D. (MM)	O.D. (MM)	VACUUM (mm/Hg)	PRESSURE (PSI)	COIL LENGTHS (METRES)	PART NO.
25	33	-735	165	30	Q-HFX-025-***
32	40	-735	150	30	Q-HFX-032-***
38	47	-735	135	20	Q-HFX-038-***
50	60	-735	102	20	Q-HFX-050-***
63	74	-675	102	30	Q-HFX-063-***
76	87	-675	97	20	Q-HFX-075-***
102	117	-675	85	20	Q-HFX-100-***

All dimensions are nominal. Products may vary slightly to those pictured

PRICING FOR THIS SECTION FOUND IN THE INDUSTRIAL PRODUCTS PRICE LIST



Customer Service - Phone: 1300 349 320 Fax: 1300 349 321

www.fhshose.com.au

MELBOURNE - SYDNEY - NEWCASTLE



PVC FOOD CONTACT SUCTION HOSE



STEEL WIRE REINFORCED / CLEAR / NON TOXIC (PLUTONE A / HELISTEEL)

Suitable for applications requiring continuous bending and flexing, or where a clear and /or heavy duty hose is required, including food contact, beverages. Can be used for oils and pesticides (boom sprayers)

I.D. (MM)	O.D. (MM)	VACUUM (mm/Hg)	PRESSURE (PSI)	COIL LENGTHS (METRES)	PART NO.
6	12	-699	100	30 60	Q-HSC-006-***
8	14	-699	100	30 60	Q-HSC-008-***
10	16	-625	100	30 60	Q-HSC-010-***
12	18	-625	85	30 60	Q-HSC-012-***
16	22	-625	85	30 60	Q-HSC-016-***
19	27	-625	71	30 60	Q-HSC-020-***
25	33	-625	71	30	Q-HSC-025-***
32	40	-625	57	30	Q-HSC-032-***
38	47	-625	57	30	Q-HSC-038-***
50	60	-588	57	30	Q-HSC-050-***
63	76	-588	51	30	Q-HSC-063-***
76	85	-515	51	30	Q-HSC-075-***
102	115	-515	34	30	Q-HSC-100-***
127	141	-662	30	20	Q-HSC-125-***
152	170	-662	25	20	Q-HSC-150-***

FOOD CONTACT - CLEAR / WHITE HELIX

For non-toxic applications. Meets AS/NZS 2070. For use as a milk tanker suction and delivery hose.



I.D. (MM)	O.D. (MM)	VACUUM (mm/Hg)	RATING (Kpa)	COIL LENGTHS (METRES)	PART NO.
25	32	-720	-80	20	Q-MFX-025-***
32	41	-720	-80	20	Q-MFX-032-***
38	46	-720	-80	20	Q-MFX-038-***
50	59	-675	-80	20	Q-MFX-050-***
64	75	-675	-80	20	Q-MFX-063-***
76	85	-675	-80	20	Q-MFX-075-***
100	115	-675	-80	30.5	Q-MFX-100-030

All dimensions are nominal. Products may vary slightly to those pictured

PRICING FOR THIS SECTION FOUND IN THE INDUSTRIAL PRODUCTS PRICE LIST



Customer Service - Phone: 1300 349 320 Fax: 1300 349 321

www.fhshose.com.au

MELBOURNE - SYDNEY - NEWCASTLE



FOOD CONTACT H/DUTY - CLEAR / RED HELIX

Non - Toxic (AS/NZS 2070) applications requiring a heavy duty hose - eg wine, fruit juices & milk transfer.

I.D. (MM)	O.D. (MM)	VACUUM (mm/Hg)	PRESSURE (PSI)	COIL LENGTHS (METRES)	PART NO.
25	34	-735	130	20	Q-FFX-025-***
32	41	-735	120	20	Q-FFX-032-***
38	46	-735	105	20	Q-FFX-038-***
50	60	-735	95	20	Q-FFX-050-***
63	74	-735	95	20	Q-FFX-063-***
76	87	-720	85	20	Q-FFX-075-***
102	115	-675	80	20	Q-FFX-100-***



SPIRALITE 6250



Non - Toxic applications requiring a heavy duty hose - eg wine & fruit juices & milk transfer. External Helix. Light and Flexible. Has Suction helix as well as braided reinforcing to allow both Pressure and suction.

I.D. (MM)	O.D. (MM)	VACUUM (mm/Hg)	PRESSURE (PSI)	COIL LENGTHS (MTRS)	PART NO.
25	35	-711	100	30.5	Q-SPI-025-030
32	42	-711	100	30.5	Q-SPI-032-030
38	48	-711	100	30.5	Q-SPI-038-030
50	62	-711	100	30.5	Q-SPI-050-030
76	92	-711	100	15 30.5	Q-SPI-075-***
100	120	-711	75	30.5	Q-SPI-100-030
<i>SPRING SLEEVE TO SUIT SPIRALITE</i>					
38				30cm	Q-SPI-SPR-038
50				30cm	Q-SPI-SPR-050
75				30cm	Q-SPI-SPR-075
100				30cm	S-SPI-SPR-100

All dimensions are nominal. Products may vary slightly to those pictured

PRICING FOR THIS SECTION FOUND IN THE INDUSTRIAL PRODUCTS PRICE LIST

Customer Service - Phone: 1300 349 320 Fax: 1300 349 321

www.fhshose.com.au

MELBOURNE - SYDNEY - NEWCASTLE





PVC OIL SUCTION HOSE



BLUE HEAVY DUTY OIL SUCTION - OILFLEX

For conveying petroleum products and derivatives, lubricating oils and various chemicals and sillage.

I.D. (MM)	O.D. (MM)	VACUUM (mm/Hg)	PRESSURE (PSI)	COIL LENGTHS (METRES)	PART NO.
20	28	-735	130	20	Q-HEB-020-***
25	34	-735	130	20	Q-OFX-025-***
32	42	-735	120	20	Q-OFX-032-***
38	47	-735	105	20	Q-OFX-038-***
50	61	-720	95	20	Q-OFX-050-***
63	74	-720	95	20	Q-OFX-063-***
76	87	-675	85	20 50	Q-OFX-075-***
102	115	-675	80	20 50	Q-OFX-100-***

CROPFLEX - BLACK

Improved



Flexible Black Suction Hose suitable for suction and low pressure delivery of water, mild chemicals and petroleum based products. Typically used on boom sprayers & spray tanks for pesticides transfer. Also suitable for oils etc in sillage pick up applications.

I.D. (MM)	O.D. (MM)	VACUUM (mm/Hg)	PRESSURE (PSI)	COIL LENGTHS (METRES)	PART NO.
25	32	-600	130	20	Q-CFX-025-***
32	39	-600	120	20	Q-CFX-032-***
38	45	-600	105	20	Q-CFX-038-***
50	59	-600	95	20	Q-CFX-050-***
76	86	-600	80	20	Q-CFX-075-***

All dimensions are nominal. Products may vary slightly to those pictured

PRICING FOR THIS SECTION FOUND IN THE INDUSTRIAL PRODUCTS PRICE LIST



Customer Service - Phone: 1300 349 320 Fax: 1300 349 321

www.fhshose.com.au

MELBOURNE - SYDNEY - NEWCASTLE



TIGERTAIL

For conveying petroleum products and derivatives, lubricating oils and various chemicals and sillage.



I.D. (MM)	O.D. (MM)	VACUUM (mm/Hg)	PRESSURE (PSI)	COIL LENGTHS (METRES)	PART NO.
50	61	-600	100	20	Q-TGR-050-***
63	76	-600	100	20	Q-TGR-063-***
76	90	-525	85	20	Q-TGR-076-***
100	118	-525	75	20	Q-TGR-100-***
125	143	-450	75	20	Q-TGR-125-***
150	167	-450	75	20	Q-TGR-150-***
203	222	-375	60	20	Q-TGR-200-***



GRIT BEAST SLURRY HOSE

Suitable for slurry, vacuum waste recovery and heavy duty suction applications where flexibility is important. The product has a thick green super elastic tube with an external ridged grey PVC helix.

I.D. (MM)	O.D. (MM)	VACUUM (mm/Hg)	RATING (Kpa)	COIL LENGTHS (METRES)	PART NO.
102	118	-600	-70	10 20 30	Q-HGR-100-***
152	172	-450	-60	10 20	Q-HGR-150-***



MARINE SANITATION HOSE—WHITE

For conveying Sillage and Sanitary waste in boats, caravans etc.
White Smooth Bore & Cover



I.D. (MM)	O.D. (MM)	VACUUM (mm/Hg)	PRESSURE (PSI)	COIL LENGTHS (METRES)	PART NO.
20	28	-525	120	20	Q-HES-020-***
25	32	-525	120	20	Q-HES-025-***
38	45	-525	90	20	Q-HES-038-***

All dimensions are nominal. Products may vary slightly to those pictured

PRICING FOR THIS SECTION FOUND IN THE INDUSTRIAL PRODUCTS PRICE LIST



Customer Service - Phone: 1300 349 320 Fax: 1300 349 321

www.fhshose.com.au

MELBOURNE - SYDNEY - NEWCASTLE



PVC VENT / AIRSEEDER SUCTION HOSE

FLEXI-FLO AIRSEEDER



Black, super tough flexible Airseeder and general purpose hose with superior UV resistance.

I.D. (MM)	O.D. (MM)	COIL LENGTHS (METRES)	PART NO.
12	19	20	Q-FLE-012-020
20	26	20	Q-FLE-020-020
25	33	20	Q-FLE-025-020
28	35	20	Q-FLE-028-020
30.5	39	20	Q-FLE-030-020
31.5	41.5	20	Q-FLE-031-020
32	43	20	Q-FLE-032-020
33.5	44	20	Q-FLE-033-020
35	44	20	Q-FLE-035-020
38	47	20	Q-FLE-038-020
44	55	20	Q-FLE-045-020
50	63	20	Q-FLE-050-020
63	77	20	Q-FLE-063-020
76	93	20	Q-FLE-075-020
102	116	20	Q-FLE-100-020

LPG VENT / AIR SEEDER HOSE / MARINE BILGE PUMP - BLACK



Smooth Bore hose for Dust extraction, boating, cable protection, LPG conversion, air seeders & caravan waste lines. (N.B 20mm is Grey) PVC Helix.

I.D. (MM)	O.D. (MM)	VACUUM (mm/Hg)	RATING (Kpa)	COIL LENGTHS (METRES)	PART NO.
20	25	-350	-46	20	Q-VEN-020-***
25	31	-350	-46	20	Q-VFX-025-***
32	39	-350	-46	20	Q-VFX-032-***
38	45	-350	-46	20	Q-VFX-038-***
52	59	-350	-46	20	Q-VFX-050-***

All dimensions are nominal. Products may vary slightly to those pictured

PRICING FOR THIS SECTION FOUND IN THE INDUSTRIAL PRODUCTS PRICE LIST



Customer Service - Phone: 1300 349 320 Fax: 1300 349 321

www.fhshose.com.au

MELBOURNE - SYDNEY - NEWCASTLE



CLEAR / WHITE SPIRAL AIRSEEDER HOSE



Used as an "Air Seeder" hose and other applications where materials being conveyed need to be seen.

I.D. (MM)	O.D. (MM)	VACUUM (mm/Hg)	RATING (Kpa)	COIL LENGTHS (METRES)	PART NO.
25	33	-600	-80	20	Q-SFX-025-***
32	38	-600	-80	20	Q-SFX-032-***
38	46	-600	-80	20	Q-SFX-038-***
45	53	-600	-80	20	Q-SFX-045-***
50	59	-600	-80	20	Q-SFX-050-***
63	72	-600	-80	20	Q-SFX-063-***
76	86	-600	-80	20	Q-SFX-075-***

CLEAR / BLACK SPIRAL AIRSEEDER HOSE



Used as an "Air Seeder" hose and other applications where materials being conveyed need to be seen.

I.D. (MM)	O.D. (MM)	VACUUM (mm/Hg)	RATING (Kpa)	COIL LENGTHS (METRES)	PART NO.
25	33	-600	-80	20	Q-SFX-B-025-***
32	38	-600	-80	20	Q-SFX-B-032-***
38	46	-600	-80	20	Q-SFX-B-038-***
45	53	-600	-80	20	Q-SFX-B-045-***
50	59	-600	-80	20	Q-SFX-B-050-***
63	72	-600	-80	20	Q-SFX-B-063-***
76	86	-600	-80	20	Q-SFX-B-075-***

SPLIT CORRUGATED TUBE BLACK



Polypropylene cable protection tube, split longitudinally to allow cables etc to be freely placed inside.

I.D. (MM)	VACUUM (mm/Hg)	RATING (Kpa)	COIL LENGTHS (METRES)	PART NO.
7	N/A	N/A	10mtr bag	E-SCT-007-010
10	N/A	N/A	10mtr bag	E-SCT-010-010
13	N/A	N/A	10mtr bag	E-SCT-013-010
16	N/A	N/A	10mtr bag	E-SCT-016-010
20	N/A	N/A	10mtr bag	E-SCT-020-010

All dimensions are nominal. Products may vary slightly to those pictured

PRICING FOR THIS SECTION FOUND IN THE INDUSTRIAL PRODUCTS PRICE LIST



Customer Service - Phone: 1300 349 320 Fax: 1300 349 321

www.fhshose.com.au

MELBOURNE - SYDNEY - NEWCASTLE



GREY WATER PRODUCTS



WASHING MACHINE EXTENSION / DRAIN HOSE BULK HOSE

Black Corrugated light weight flexible extension hoses.

I.D. (MM)	O.D. (MM)	VACUUM (mm/Hg)	RATING (Kpa)	COIL LENGTHS (METRES)	PART NO.
23		n/a	n/a	50	Q-WMH-023-050
29		n/a	n/a	10 20 50	Q-WMH-029-***
36		n/a	n/a	25	Q-WMH-036-***

WASHING MACHINE DRAIN HOSE EXTENSION C/W CUFF

Corrugated 10mtr length of black hose for connections to the washing machine or as an extension to the existing drain hose. Comes complete with cuffs for ease of connection.



I.D. (MM)	O.D. (MM)	VACUUM (mm/Hg)	RATING (Kpa)	COIL LENGTHS (METRES)	PART NO.
22	28	n/a	n/a	10	Q-WMH-022-010F

SPARE CUFF FOR EXTENSION HOSES

I.D. (MM)		PART NO.
22	EACH	Q-WMH-022CUF
23	EACH	Q-WMH-023CUF



CARPET CLEANING SUCTION HOSE

G-VAC VACUUM CLEANER HOSE

This hose was developed specifically for use with steam cleaning equipment. Available in Grey or Orange. Extremely flexible with a smooth exterior and interior ensures tangle free operation.



I.D. (MM)	O.D. (MM)	VACUUM (mm/Hg)	RATING (Kpa)	COIL LENGTHS (METRES)	PART NO.
38	39	-600	-80	15	Q-GVA-038-015
50	61	-600	-80	15	Q-GVA-050-015

All dimensions are nominal. Products may vary slightly to those pictured

PRICING FOR THIS SECTION FOUND IN THE INDUSTRIAL PRODUCTS PRICE LIST



Customer Service - Phone: 1300 349 320 Fax: 1300 349 321

www.fhshose.com.au

MELBOURNE - SYDNEY - NEWCASTLE



POOL & SPA HOSE

BLO-FLEX BLOW MOULDED

White Segmented

Australian made blow molded hose. Segmented in 1000mm Lengths.



I.D. (MM)	O.D. (MM)	VACUUM (mm/Hg)	RATING (Kpa)	COIL LENGTHS (METRES)	PART NO.
32	40	n/a	n/a	25 50	E-BLO-032-050
38	47	n/a	n/a	50	E-BLO-038-050

STA-FLEX - STANDARD POOL HOSE

Blue 2yr Warranty

Quality hose has a two year warranty and is a tough durable product that has excellent flexibility.
(Cuffs & Joiners available)



I.D. (MM)	O.D. (MM)	VACUUM (mm/Hg)	RATING (Kpa)	COIL LENGTHS (METRES)	PART NO.
32	40	-600	-80	50	E-STA-032-050
38	47	-600	-80	50	E-STA-038-050

SPA SUCTION HOSE—White

Flexible Suction Discharge Hose for flexible plumbing lines in spa's.

This tough hose is designed specifically for hard wearing applications. For use with PVC fittings and Cement.



I.D. (MM)	O.D. (MM)	VACUUM (mm/Hg)	RATING (Kpa)	COIL LENGTHS (METRES)	PART NO.
12	21	-600	-80	15	E-SSF-012-015
20	27	-600	-80	15	E-SSF-020-015
25	33.5	-600	-80	15	E-SSF-025-015
38	48	-600	-80	15 30	E-SSF-038-***
50	60	-600	-80	15 30	E-SSF-050-***
76	89	-600	-80	15	E-SFF-075-015

SPA TUBE (CLEAR)

Thick wall Clear tubing designed for the Australian spa bath and Pool applications.



ID (mm)	OD (mm)	Coil Lengths (METRES)	Part No
9.0	14.0	100	E-CVT-009-100
19.0	25.0	50	E-CVT-019-050

All dimensions are nominal. Products may vary slightly to those pictured

PRICING FOR THIS SECTION FOUND IN THE INDUSTRIAL PRODUCTS PRICE LIST



Customer Service - Phone: 1300 349 320 Fax: 1300 349 321

www.fhshose.com.au

MELBOURNE - SYDNEY - NEWCASTLE



All dimensions are nominal. Products may vary slightly to those pictured

PRICING FOR THIS SECTION FOUND IN THE INDUSTRIAL PRODUCTS PRICE LIST

Customer Service - Phone: 1300 349 320 Fax: 1300 349 321

www.fhshose.com.au

MELBOURNE - SYDNEY - NEWCASTLE





All dimensions are nominal. Products may vary slightly to those pictured

PRICING FOR THIS SECTION FOUND IN THE INDUSTRIAL PRODUCTS PRICE LIST

Customer Service - Phone: 1300 349 320 Fax: 1300 349 321

www.fhshose.com.au

MELBOURNE - SYDNEY - NEWCASTLE





FLUID HANDLING SOLUTIONS

Abrasives
Airbrake Fittings
Airline Couplings
Automotive Belts
Ball Valves
Bauer Fittings
Band-It
Brass Fittings
Camlock Fittings
Chain & Sprockets
Check Valves
Claw Couplers
Composite Hose
Couplings
Ducting
Filter Regulators
Fire Fittings
Gate Valves
Glue
Hose Assemblies
Hose Fittings
Hose Reels
Hydraulic Adaptors
Hydraulic Couplings
Hydraulic Hose
Industrial Belts
Layflat Hose
Nozzles
Nylon Tube
Pipe Fittings
Pneumatics
Poly Fittings
Polyurethane Tube
Pool Hose
Pressure Gauges
PTFE Fittings
Push-In Fittings
PVC Hose
Quick Couplings
Rubber Hose
Sheet Rubber
Silicone Hose
Stainless Steel Fittings
Stainless Steel Hose
Strainers
Steam Fittings
Super Clamps
Tank Fittings
Tubing
Wormdrives

LOCATIONS



BRAESIDE
Unit 5 / 200-208
Boundary Rd
Braeside VIC. 3195

BAYSWATER
Unit 1 / 477
Dorset Rd
Bayswater VIC. 3153

CUSTOMER SERVICE

P: 1300 349 320

F: 1300 349 321



SYDNEY
25 Clyde St
Rydalmere NSW. 2116

NEWCASTLE
Unit 2 / 34
Portside Crescent
Maryville NSW. 2293

www.fhshose.com.au