



PRE - MADE ASSEMBLIES



July 2008

All dimensions are nominal. Products may vary slightly to those pictured

PRICING FOR THIS SECTION FOUND IN THE INDUSTRIAL PRODUCTS PRICE LIST

Customer Service - Phone: 1300 349 320 Fax: 1300 349 321

www.fhshose.com.au

MELBOURNE - SYDNEY - NEWCASTLE





PRE-MADE ASSEMBLIES

INDEX

Description	Page
Airline Kits	63
Drinking Water Kits	63
Turfmaster Garden Hose Kits	63
Premium Garden Hose Kits	63
Budget garden Hose Kits	63
BBQ LPG Gas Kits	64
Fire Hose Kits	64
Washing Machine Drain Hose Kits	64
Jack Hammer Kits	65
Fuel Bowser Assemblies	65
Twin Line Welding Hose Kits	65
Rubber Suction Assemblies	65
Rubber Layflat Assemblies	66
Hose Socks / Hose Restraints	66/67

All dimensions are nominal. Products may vary slightly to those pictured

PRICING FOR THIS SECTION FOUND IN THE INDUSTRIAL PRODUCTS PRICE LIST



Customer Service - Phone: 1300 349 320 Fax: 1300 349 321

www.fhshose.com.au

MELBOURNE - SYDNEY - NEWCASTLE



PVC HOSE ASSEMBLIES - READY MADE

AIR HOSE KITS (BLUE)

Comes complete with 1/4 Male BSP Crimped ends. Centre card makes for a well presented product. Simply screw on your preferred airline couplings. (REF to Brass Price List)

I.D. (MM)	O.D. (MM)	WORKING PRESSURE	COIL LENGTHS (METRES)	PART NO.
10	16	250PSI	20mtr	P-HAL-MR-010/20F
10	16	250PSI	30mtr	P-HAL-MR-010/30F



DRINKING WATER HOSE KITS

Comes complete with Plastic Garden Hose Click on ends .

I.D. (MM)	O.D. (MM)	WORKING PRESSURE	COIL LENGTHS (METRES)	PART NO.
12.5	18	80PSI	10mtr	P-HDW-012-010F



TURFMASTER HOSE KITS

Comes complete with Brass Crimped Click Type Ends. This hose has a LIFETIME Warranty.

I.D. (MM)	O.D. (MM)	WORKING PRESSURE	COIL LENGTHS (METRES)	PART NO.
12	17	90	20mtr	P-HSL-012-020F
12	17	90	35mtr	P-HSL-012-035F



PREMIUM GARDEN HOSE KITS

5 YR WARRANTY

Comes complete with Brass Crimped Click Type Ends. 5yr Warranty

I.D. (MM)	O.D. (MM)	WORKING PRESSURE	COIL LENGTHS (METRES)	PART NO.
12	17	70	20mtr	P-GHH-012-020F



GARDEN HOSE KITS

2 YR WARRANTY

Comes complete with Click Type Ends. 2yr Warranty

I.D. (MM)	O.D. (MM)	WORKING PRESSURE	COIL LENGTHS (METRES)	PART NO.
12	16	50	15mtr	P-GH2-012-015F



All dimensions are nominal. Products may vary slightly to those pictured

PRICING FOR THIS SECTION FOUND IN THE INDUSTRIAL PRODUCTS PRICE LIST



Customer Service - Phone: 1300 349 320 Fax: 1300 349 321

www.fhshose.com.au

MELBOURNE - SYDNEY - NEWCASTLE



PVC HOSE ASSEMBLIES - READY MADE

BBQ LPG GAS HOSE KITS

Comes complete with 1/4 Brass Male /Fem Crimped Ends.

I.D. (MM)	O.D. (MM)	WORKING PRESSURE	COIL LENGTHS (METRES)	PART NO.
5	12.5	145 STD	2mtr	P-LPG-005/2MTR
5	12.5	145 STD	4mtr	P-LPG-005/4MTR



FIRE KITS

FIRE HOSE KITS

1 1/2" Grey Suction Hose. 3/4" Black Fire Reel Hose. Fits 1" & 1 1/2" Standard BSP Fire Pump Outlets

Description	Part Number
4MTR PVC SUCTION 2 x 6M DELIVERY C/W POLY Nut & Tails, Poly Strainer & Nylon Nozzles	Q-RFK01PO
6M PVC SUCTION 2 x 10M DELIVERY C/W BRASS Nut & Tails, Poly Strainer & Nylon Nozzles	Q-RFK03BR



GREY WATER KITS

WASHING MACHINE DRAIN HOSE EXTENSION C/W CUFF

Corrugated 10mtr length of black hose for connections to the washing machine or as an extension to the existing drain hose. Comes complete with cuffs for ease of connection.

I.D. (MM)	O.D. (MM)	VACUUM (mm/Hg)	RATING (Kpa)	COIL LENGTHS (METRES)	PART NO.
22	28	n/a	n/a	10	Q-WMH-022-010F



All dimensions are nominal. Products may vary slightly to those pictured

PRICING FOR THIS SECTION FOUND IN THE INDUSTRIAL PRODUCTS PRICE LIST



Customer Service - Phone: 1300 349 320 Fax: 1300 349 321

www.fhshose.com.au

MELBOURNE - SYDNEY - NEWCASTLE



RUBBER HOSE ASSEMBLIES - READY MADE

JACK HAMMER HOSES

Comes complete with Claw Couplings, Claw Clamps & Pins

I.D. (MM)	WORKING PRESSURE	COIL LENGTHS (METRES)	PART NO.
19	275psi	20mtr	M-APY-020-020AS



FUEL BOWSER HOSE ASSEMBLY

Comes complete 3/4" Male Ends. (Nozzle not included)

I.D. (MM)	WORKING PRESSURE	COIL LENGTHS (METRES)	PART NO.
5/8	150psi	5mtr	M-FBH-016-005A



TWIN WELD ASSEMBLIES WITH BRASS FITTINGS PERMANENTLY CRIMPED

Black SBR tube and red (acetylene) / blue (oxygen) Neoprene cover, synthetic ply reinforcement, temp range -40 to +82 C
Fitted with Left Hand and Right hand Female Threads

ID MM	OD (MM)	W.P. MPA (PSI)	WEIGHT (KG/M)	COIL LENGTHS METRES (FEET)	PART NO
5	11.1	1.0 (150)	1.19	5.0 (16)	M-TLA-005-005
5	11.1	1.0 (150)	1.69	7.5 (24)	M-TLA-005-075
5	11.1	1.0 (150)	2.18	10.0 (33)	M-TLA-005-010
5	11.1	1.0 (150)	3.29	15.0 (48)	M-TLA-005-015
5	11.1	1.0 (150)	4.25	20.0 (66)	M-TLA-005-020



RUBBER SUCTION HOSE ASSEMBLY

Comes complete with Female & Male Bauer Couplings. Attached with Band-it Clamps

I.D. (MM)	WORKING PRESSURE	COIL LENGTHS (METRES)	PART NO.
100	150	3	W-WS5-100-003BMF
150	150	3	W-WS5-150-003BMF
150	150	6	W-WS5-150-006BMF
200	150	3	W-WS5-200-003BMF



All dimensions are nominal. Products may vary slightly to those pictured

PRICING FOR THIS SECTION FOUND IN THE INDUSTRIAL PRODUCTS PRICE LIST



Customer Service - Phone: 1300 349 320 Fax: 1300 349 321

www.fhshose.com.au

MELBOURNE - SYDNEY - NEWCASTLE



RUBBER LAYFLAT HOSE ASSEMBLY

Comes complete with Female & Male Bauer Couplings. Attached with Band-it Clamps

I.D. (MM)	WORKING PRESSURE	COIL LENGTHS (METRES)	PART NO.
75	150	20, 25	G-STX-075-***BMF
100	150	20, 25	G-STX-100-***BMF
150	150	20, 25	G-STX-150-***BMF
200	150	20, 25	G-STX-200-***BMF



HOSE SOCK - HOSE RESTRAINTS

The sock type of hose restraint is a woven sleeve that shrinks and tightens when slid onto a hose. When fitted, the sock will prevent uncontrolled movement of a pressure hose in the event of coupling disconnection or hose failure. The whipping motion of a failed hose or connection can result in serious personal injury and property damage.

Table HR2

Construction:

Two Ply
Galvanised Strand
Alloy Ferrules
Galvanised Thimbles
Heat Shrink Protection



Table HR4

Construction:

Two Ply
Galvanised Strand
Copper Ferrules
Galvanised Thimbles
Heat Shrink Protection



TO FIT HOSE I.D. (MM)	NET GRIP LENGTH OR MEAN HOSE O.D	AGGREGATE BREAKING STRENGTH OF ALL STRANDS		ULTIMATE TENSILE STRENGTH	PART NO.	PART NO.
		kg	kN	kN	TABLE HR2	TABLE HR4
10-14	350	1500	15	9	HS-HR2010/350	HS-HR410/350
14-19	400	2400	24	15	HS-HR2014/400	HS-HR4014/400
19-28	500	3800	38	24	HS-HR2019/500	HS-HR4019/500
28-40	600	5800	57	35	HS-HR2028/600	HS-HR4028/600
40-50	800	5800	57	35	HS-HR2040/800	HS-HR4040/800
50-60	900	10000	100	62	HS-HR2050/900	HS-HR4050/900
60-70	900	10000	100	62	HS-HR2060/900	HS-HR4060/900
70-85	1000	10000	100	62	HS-HR2070/1000	HS-HR4070/1000
85-100	1000	16000	158	98	HS-HR2085/1000	HS-HR4085/1000
100-120	1200	16000	158	98	HS-HR2100/1200	HS-HR4100/1200
120-150	1400	21500	211	133	HS-HR2120/1400	HS-HR4120/1400
150-190	1600	31000	305	191	HS-HR2150/1600	HS-HR4150/1600

All dimensions are nominal. Products may vary slightly to those pictured

PRICING FOR THIS SECTION FOUND IN THE INDUSTRIAL PRODUCTS PRICE LIST



Customer Service - Phone: 1300 349 320 Fax: 1300 349 321

www.fhshose.com.au

MELBOURNE - SYDNEY - NEWCASTLE



HOSE SOCK - HOSE RESTRAINTS

Table HR6
Construction:

Two Ply
Stainless Steel Strand
Copper Ferrules
Stainless Steel Thimbles
Heat Shrink Protection


Table HR7
Construction:

Two Ply
Stainless Steel Strand
Stainless Steel Ferrules
Stainless Steel Thimbles
Heat Shrink Protection



TO FIT HOSE I.D. (MM)	NET GRIP LENGTH OR MEAN HOSE O.D	AGGREGATE BREAKING STRENGTH OF ALL STRANDS		ULTIMATE TENSILE STRENGTH	PART NO. TABLE HR6	PART NO. TABLE HR7
		kg	kN	kN		
10-14	350	1300	13	7	HS-HR6010/350	HS-HR7010/350
14-19	400	1900	19	12	HS-HR6014/400	HS-HR7014/400
19-28	500	3100	30	19	HS-HR6019/500	HS-HR7019/500
28-40	600	4500	44	27	HS-HR6028/600	HS-HR7028/600
40-50	800	4500	44	27	HS-HR6040/800	HS-HR7040/800
50-60	900	8000	78	48	HS-HR6050/900	HS-HR7050/900
60-70	900	8000	78	48	HS-HR6060/900	HS-HR7060/900
70-85	1000	8000	78	48	HS-HR6070/1000	HS-HR7070/1000
85-100	1000	12600	123	79	HS-HR6085/1000	HS-HR7085/1000
100-120	1200	12600	123	79	HS-HR6100/1200	HS-HR7100/1200
120-150	1400	16800	164	103	HS-HR6120/1400	HS-HR7120/1400
150-190	1600	24000	235	147	HS-HR6150/1600	HS-HR7150/1600

TO FIT HOSE I.D. (MM)	NET GRIP LENGTH OR MEAN HOSE O.D	AGGREGATE BREAKING STRENGTH OF ALL STRANDS		PART NO. TABLE HR03
		kg	kN	
25	650	5800	57	HS-HR0325/650
32	650	5800	57	HS-HR0332/650
38	650	10000	100	HS-HR0338/650
50	650	10000	100	HS-HR0350/650
63	650	16000	158	HS-HR0363/650

Table HR03

Construction:
Galvanised Strand
Copper Ferrule
Soft Eye



TO FIT HOSE I.D. (MM)	NET GRIP LENGTH OR MEAN HOSE O.D	AGGREGATE BREAKING STRENGTH OF ALL STRANDS		PART NO. TABLE HR03
		kg	kN	
25	650	5800	57	HS-HR0325/650
32	650	5800	57	HS-HR0332/650
38	650	10000	100	HS-HR0338/650
50	650	10000	100	HS-HR0350/650
63	650	16000	158	HS-HR0363/650

Table HR05

Construction:
Stainless Steel Strand
Copper Ferrule
Soft Eye



All dimensions are nominal. Products may vary slightly to those pictured

PRICING FOR THIS SECTION FOUND IN THE INDUSTRIAL PRODUCTS PRICE LIST



Customer Service - Phone: 1300 349 320 Fax: 1300 349 321

www.fhshose.com.au

MELBOURNE - SYDNEY - NEWCASTLE

Abrasives
Airbrake Fittings
Airline Couplings
Automotive Belts
Ball Valves
Bauer Fittings
Band-It
Brass Fittings
Camlock Fittings
Chain & Sprockets
Check Valves
Claw Couplers
Composite Hose
Couplings
Ducting
Filter Regulators
Fire Fittings
Gate Valves
Glue
Hose Assemblies
Hose Fittings
Hose Reels
Hydraulic Adaptors
Hydraulic Couplings
Hydraulic Hose
Industrial Belts
Layflat Hose
Nozzles
Nylon Tube
Pipe Fittings
Pneumatics
Poly Fittings
Polyurethane Tube
Pool Hose
Pressure Gauges
PTFE Fittings
Push-In Fittings
PVC Hose
Quick Couplings
Rubber Hose
Sheet Rubber
Silicone Hose
Stainless Steel Fittings
Stainless Steel Hose
Strainers
Steam Fittings
Super Clamps
Tank Fittings
Tubing
Wormdrives



FLUID HANDLING SOLUTIONS

LOCATIONS



BRAESIDE
Unit 5 / 200-208
Boundary Rd
Braeside VIC. 3195

BAYSWATER
Unit 1 / 477
Dorset Rd
Bayswater VIC. 3153



SYDNEY
25 Clyde St
Rydalmere NSW. 2116

NEWCASTLE
Unit 2 / 34
Portside Crescent
Maryville NSW. 2293

CUSTOMER SERVICE

P: 1300 349 320

F: 1300 349 321